

Application No.: 10/772168  
Docket No.: BC1042USDIV1

Page 2

**Amendments to Claims**

**Claims 1-2 (Canceled)**

**Claim 3 (Previously Presented ):** A method for generating a genome-registered collection of reporter gene fusions from an organism comprising the steps of:

- (a) generating a set of gene fusions comprising:
  - 1) a reporter gene or reporter gene complex operably linked to
  - 2) a genomic fragment from an organism of which at least 15% of the genomic nucleotide sequence is known;
- (b) introducing *in vitro* the reporter gene fusions from step (a) into a host organism;
- (c) registering the reporter gene fusions on the basis of sequence homology to the genomic sequence of the organism;
- (d) repeating (a), (b), and/or (c) until reporter gene fusions have been made to at least 15% of the known genomic nucleotide sequence of said organism.

**Claim 4 (Original):** A method according to Claim 3 wherein the gene fusions of step (a) are generated either *in vivo* or *in vitro*.

**Claim 5 (Previously Presented ):** The method of Claim 3 wherein:

- (a) said generating a set of gene fusions comprises:
  - 1) generating random nucleic acid fragments from the DNA of an organism of which at least 15% of the nucleotide sequence is known; and
  - 2) operably linking the random nucleic acid fragments generated in (1) to a promoterless reporter gene or reporter gene complex in a vector; and
- (b) said registering the reporter gene fusions on the basis of sequence homology to the genomic sequence of the organism of step (c) comprises determining the nucleic acid sequence of the distal and the proximal ends of the random nucleic fragments relative to the reporter gene or reporter gene complex.

**Claim 6 (Previously Presented ):** A method according to Claim 5 wherein the random nucleic acid fragments of step (a) are generated by a method selected from the group consisting of restriction enzyme digestion, physical shearing of the genome and polymerase chain reaction.

**Claims 7-8 (Canceled)**

**Claim 9 (Previously Presented ):** A method according to Claim 3 or Claim 5 wherein the organism is selected from the group consisting of prokaryotes and fungi.

**Claim 10 (Original):** A method according to Claim 9 wherein the prokaryote is an enteric bacterium.

**Claim 11 (Original):** A method according to Claim 10 wherein the enteric bacterium is selected from the group consisting of *Escherichia* and *Salmonella*.

Application No.: 10/772168  
Docket No.: BC1042USDIV1

Page 3

**Claim 12 (Previously Presented ):** A method according to Claim 3 or Claim 5 wherein the reporter gene or reporter gene complex is selected from the group consisting of *luxCDABE*, *lacZ*, *gfp*, *cat*, *galK*, *inaZ*, *luc*, *luxAB*, *bgaB*, *ntfII*, *phoA*, *uidA* and *xylE*.

**Claim 13 (Previously Presented ):** A method according to Claim 3 or Claim 5, wherein at least 50% of the genomic nucleotide sequence is known.

**Claims 14-22 (Canceled)**